

Clean thanks to quality



Locations

Switzerland

Head office

Henau-Uzwil/SG

Cleanfix Reinigungssysteme AG Stettenstrasse 15 9247 Henau-Uzwil/SG Tel. +41 71 955 47 47 Fax +41 71 955 47 60

info@cleanfix.com

Koppigen/BE

Cleanfix Reinigungssysteme AG Utzenstorfstrasse 39 3425 Koppigen/BE Tel. +41 34 413 16 44 Fax +41 34 413 19 04

West Switzerland

Cleanfix Reinigungssysteme AG Grand'Rue 1 1425 Onnens Tel. +41 21 881 24 81 Fax +41 21 881 55 37

Germany

Langenselbold

Cleanfix Reinigungssysteme GmbH Am Weiher 2 63505 Langenselbold Tel. +49 6184 93 12 0 Fax +49 6184 48 01 info@cleanfix.de

Hannover

Cleanfix Reinigungssysteme GmbH Golternstrasse 24 30455 Hannover Tel. +49 511 472 89 80 Fax +49 511 494 08 7

Austria

Salzburg

Cleanfix Reinigungssysteme GmbH Dr. Hans-Lechner-Str. 5 5071 Wals-Siezenheim Tel. +43 662 85 69 53 Fax +43 662 85 69 53-15 info@cleanfix.at

Great Britain

Southampton

Industrial Cleaning Equipment Ltd. Unit 3, Rushington **Business Park Chapel Lane Totton** S040 9AH Southampton Tel. +44 23 8077 7000 Fax +44 23 8077 8822 sales@ice-clean.com

Netherland

HP Oirschot

Cleanfix Benelux B.V. De Scheper 255 5688 HP Oirschot Tel. +31 499 550 033 Fax +31 499 550 060 info@cleanfix.nl

France

Wissous

Cleanfix France 2, impasse Branly 91320 Wissous Tel. +33 160 11 29 17 Fax +33 169 81 74 94 contact@cleanfix.fr

Poland

Pruszków

ul. Kosvnierów 1 05-803 Pruszków Tel. +48 22 729 00 88 Fax +48 22 725 40 56 info@cleanfix.pl

Cleanfix Polska Sp.z.o.o.

Trading partners

Australia

Minto

POWERSWEEP Pty. Ltd. Floor And Ground Care Equipm. Unit 4, No 1 Reaghs Farm road 2566 Minto NSW Tel. +61 2 96074455 Fax +61 2 96074466

China East

Shanghai

Shanghai Honyee Cleaning Songjiang District 201615 Shanghai Tel. +86 21 6270 9898

Denmark

Ikast

Sauber House Idustrivej 4 7430 - Ikast Tel. +45 97 14 26 64 Fax + 45 97 14 26 64

Estonia

Tallinn

Puhastus Import Ltd. Kadaka tee 3 10621 Tallinn Tel. +327 651 90 80

More locations upon request.

www.cleanfix.com



Finland

Tampere

Kiilto Clean Oy PL/Box 250 33101 Tampere Tel. +358 207 710 410

Israel

Emek Hefer

Sigma Ltd. Industrial Zone PO Box 41 38800 Emek Hefer Tel. +972 4 622 8688

Italy

Castagnole di Paese

ICA system S.R.L Via S. Domenico Savio Treviso 31040 Castagnole di Paese Tel. +39 0422 2933 Fax +39 0422 430 068

Latvia

Riga

B.G. Ltd. Bukultu street 9 1005 Riga Tel. +371 6738 79 22

Lithuania

Vilnius

UAB Ofnis Naugarduko g 29 03227 Vilnius Tel. +370 5 233 32 18 Fax +370 5 233 24 84

Malaysia

Shah Alam

Blondal Stada (M) Sdn. Bhd. Blondal Building, Jalan Penyair, Section U1, Off Jalan Glenmarie, 40150 Shah Alam Tel. +60 355 691 888 Fax +60 355 691 838

Norway

Oslo

Scanclean A/S Grini Næringspark 8 1361 Østerås Tel. +47 220 786 20

Portugal

Maia

Iberoeste Lda.
Rua D. Antonio Castro Meireles
303
4425-637 Maia
Tel. +351 22 906 50 73
Fax +351 22 906 50 75
www.cleanfix.pt

Kurdistan, Iraq

Erbil

BOCOST Germany GmbH Kasnazan Road 44001 Erbil - Kurdistan Region Iraq Tel: +964 750 435 66 00 erbil@bocost.de

Serbia

Belgrad

B.S.M. d.o.o. Vojvodjanska I Surcin 11271 Beograd Tel. +381 11 2261 088 Fax +381 11 65 55 570 office@bsm.rs

Slovenia

Maribor

IVEC d.o.o. Heroja, Saranovica 38 2000 Maribor Tel. +38 62 2296 700 Fax +38 62 2522 028

South Africa

Johannesburg

Safic (Pty) Ltd.
32 Steele St
Box 1754, Alberton
1450 Steeledale (JHB)
Tel. +27 11 406 4000
Fax +27 11 406 4070
sales@safic.co.za

Spain

Pinto

Thomil S.A.
Ctra. de Andalucia, km.18
Pol. Ind. Las Arenas
28320 Pinto (Madrid)
Tel. +34 91 6910175
Fax +34 91 6911345
profesional@thomil.com

Czech Republic

Brno

Cleanfix s.r.o Sumavská 3 60200 Brno Tel. +42 541 235 012 Fax +42 541 235 012 info@cleanfix.cz

Turkey

Altunizade Istanbul

Hazan Isi ve Makina Kisikli Cad. No: 117 34662 Altunizade Istanbul Tel. +90 216 321 76 74

Hungary

Budapest

Weltweit Kft. Kis Gömb u. 4 1135 Budapest Tel. +361 4500 287

USA

Newburgh

Mastercraft Industries Inc. P.O. Box 2310 777 South Street Newburgh 12550 Tel. +1 845 565 8850 Fax +1 845 565 9392

Dry vacuum cleaners Wet and dry vacuum cleaners

Robust, powerful and manoeuvrable at a low noise level, these vacuum cleaners help to clean household and industries.

- 1 **S 10** see page 7
- 2 S 10 plus / S 10 plus HEPA see page 8
- 3 **S 20** see page 9
- 4 **SW 20** see page 10
- 5 SW 21 Combi / SW 21 Aqua see page 10 / 11
- 6 SW 25 with tipping trolley see page 11
- 7 **SW 60** see page 12

Steam vacuum cleaner Special vacuum cleaner

- 8 **DS 8** see page 13
- 9 **BS 360** see page 14
- 10 RS 05 Backpackcleaner see page 14



Spray-extractions machines

The mild cleaning process for a high cleanliness, thanks to Cleanfix spray-extraction machines you dissolve also persistent dirt with water pressure and and absorb it.

- TW 411/TW 412 see page 16
- 2 TW 300 S see page 17
- 3 TW 600 see page 17
- 4 TW 1250 see page 18
- 5 TW Compact see page 18
- 6 Carpet and floor dryer Hurrican see page 17



Robotic

It is the latest automatic cleaning technology combined with user friendliness and reasonable economic benefit.

- 1 Robo 40s see page 33
- 2 RA 660 Navi see page 34







Scrubby dryers

High performance and low water consumption, distinguish the durable and compact scrubber dryers.

- 1 RA 300 E see page 20
- 2 RA 330 IBC see page 20
- 3 RA 410 E see page 21
- 4 RA 431 E/RA 431 B/RA 431 IBC see page 22
- 5 RA 433 IBC see page 23
- 6 RA 501 E/RA 501 B/RA 501 IBC see page 24
- 7 RA 505 IBC see page 25
- 8 RA 505 IBCT see page 26
- 9 RA 605 IBCT see page 27
- 10 RA 535 IBCT see page 28
- 11 RA 800 see page 30
- 12 RA 900 see page 31



Single disc machines

Ergonomy, versatility, as well as the high standard components and the wide range of accessories, do make the single disc machines to a well seen and indistructable allrounder.

- 1 Scrubby see page 36
- 2 FloorMac see page 36
- 3 PowerDisc LS see page 37
- 4 R 44-180 see page 37
- 5 Duo Speed see page 38
- 6 Duo Speed Spray see page 38
- 7 R44-450 High-Speed see page 39
- 8 PowerDisc HS see page 39
- 9 PowerDisc HD see page 40
- 10 R44-120 see page 40
- 11 R53-1100 Ultra High-Speed see page 41



Sweepers

- 1 **HS 770** see page 43
- 2 KS 650 IBC see page 43
- 3 KS 1100 B see page 44
- 4 KS 1100 B HD see page 45





Silent and powerful



S 10

Art. 022.000

Practical compact design with powerful vacuum performance. The S 10 is quiet, robust and very user friendly. The S 10 is manufactured using materials that are 100% recyclable.



S 10 Large dust filter



Technical data:	
Total power	1100 W / 230 V
Vacuum	250 mbar
Volume dustbag	6 liters
Volume tank	9 liters
Castors	5
Cable length	7,5 m
Weight	7 kg
Measurements I/w/h	40/40/40 cm

•	very	stable

- extremely rentable
- top quality

Complete	incl.:
012.567	Hose compl. 2,2 m
645.002	Metallic tube (2 pieces need)
645.103	Combi nozzle
645.004	Upholstery nozzle
645.006	Rubber crevice tool
022.300	Dustbag basket with filter Cod. complete
_	Dustbag (1 piece)

Special ac	Special accessories:		
022.430	Dustbag (1 packet with 5 pieces)		
645.005	Dropery brush		
645.009	Rubber crevice tool long		
646.200	Hard floor tool, 30 cm		
646.520	Turbo brush with air drive, 28 cm		
646.600	Turbo brush with air drive, small 16 cm		
022.015	Telescope vacuuming tube		
022.320	Filter cloth		
022.435A	Textil Dustbag		
646.710	Hard floor tool, 36 cm		
022.431	Fleece bag (5 pcs)		



Robust plug-in suction hose



Big dust bag



S 10 plus

A small, quiet, agile and powerful performer with five castors. Instead of technical gimmicks the user benefits from a high standard, durable, quality product that ensures positive performance. An extremely user-friendly model with ergonomic and multifunctional handle.

Art. 022.010



Technical data:	
Total power	1100 W / 230 V
Vacuum	250 mbar
Volume dustbag	6 liters
Volume tank	9 liters
Castors	5
Cable length	10 m
Weight	7 kg
Measurements I/w/h	40 / 40 / 49 cm

ergonomic

Complete incl.:

012.567	Hose complete, 2,2 m
645.002	Tube metallic (2 pieces needed)
645.103	Combi nozzle
645.004	Upholstery nozzle
645.006	Rubber crevice tool
022.300	Dustbag basket
_	Dustbag (1 piece)

Special accessories:

opeciai acc	,63301163.
022.430	Dustbag (1 packet with 5 pieces)
645.005	Dropery brush
645.009	Rubber crevice tool long
646.200	Hard floor tool, 30 cm
646.520	Turbo brush with air drive, 28 cm
646.600	Turbo brush with air drive, small 16 cm
022.015	Telescope vacuuming tube
022.320	Filter cloth
022.435 A	Textil Dustbag
022.431	Fleece bag (1 packet with 5 pieces)
012.411	Sliding clamp



Big dust bag



5 castors for stability and manouevrability



S 10 plus HEPA

Same equipment as S 10 plus, but with Hepa filter cartridge, special seals and dust bag.

Art. 022.012



Technical data:

Total power	1100 W / 230 V
Vacuum	250 mbar
Volume dustbag	6 liters
Volume tank	9 liters
Castors	5
Cable length	10 m
Weight	7 kg
Measurements I/w/h	40/40/49 cm

- Hepa-Filtration
- 99,997 Filtrationsperformance

Complete incl.:

012.567	Hose compl. 2,2 m
645.002	Tube metallic (2 pieces needed)
645.103	Combi nozzle
645.004	Upholstery nozzle
645.006	Rubber crevice tool
022.450	Hepa filter cartridge
_	Dustbag (1 piece)

Special accessories:


opeciai ac	663301163.
645.005	Dropery brush
645.009	Rubber crevice tool long
646.200	Hard floor tool, 30 cm
646.520	Turbo brush with air drive, 28 cm
646.600	Turbo brush with air drive, small 16 cm
022.015	Telescope vacuuming tube
012.411	Sliding clamp
022.433	Dustbag (1 packet with 5 pieces)



Ergonomic and multifunction handle S10 plus Hepa-Filter



S10 plus Hepa-Filter





S 20

Powerful practical and strong vacuum cleaner for exacting demands. High mobility thanks to low weight and 5 castors.

Art. 020.000



Technical data:	
Total power	1100 W / 230 V
Vacuum	200 mbar
Volume dustbag	10 liters
Volume tank	14,5 liters
Castors	5
Noise level	65 dBA
Cable length	10 m
Weight incl. accessories	10 kg
Measurements I/w/h	38/38/59 cm

• large vacuum

Complete incl.:

020.567	Hose, 3 m, compl.
645.002	Metallic tube (2 pieces needed)
645.103	Combi nozzle
645.004	Upholstery nozzle
645.006	Rubber crevice tool
20122519	Dustbag basket
	Dustbag (1 piece)

Snecial accessories:

Special acc	essories:
645.005	Dropery brush
646.200	Hard floor tool, 30 cm
646.520	Turbo brush with air drive, 28 cm
646.600	Turbo brush with air drive, small 16 cm
022.015	Telescope vacuuming tube
020.320	Filter cloth
645.009	Rubber crevice tool long
646.710	Hard floor tool, 36 cm
020.430	Dustbag (1 packet with 10 pieces)



S 20 Robust plug-in suction hose



varied accessories



5 castors for stability and manoeuvrability



big dust filter

The powerful compact class

SW 20

The versatile universal unit is distinguished by its special flexibility. A robust high performance unit, the vacuum cleaner and water extraction functions are combined in one appliance.

Art. 021.000



Technical data:	
Total power max.	1100 W / 230 V
Water pillar	2000 mm
Volume dustbag	10 Liter
Usable water volume	9 Liter
Castors	5
Cable length	10 m
Gewicht	10 kg
Measurements I/w/h	38/38/59 cm

Complete incl.:

oumpiete i	1101
020.567	Hose 3 m, compl.
645.002A	Inox tubes (2 pieces needed)
2012421	Float insert compl.
646.300	Water suction nozzle, 37 cm
645.103	Carpet nozzle
645.004	Upholstery nozzle
645.006	Rubber crevice tool
20122519	Dustbag basket
	Fleece bag (1 piece)

Cracial accomparion

Special ac	cessories:
020.430	Fleece bag (10 pieces)
645.005	Dropery brush
646.200	Hard floor tool, 30 cm
646.520	Turbo brush with air drive, 28 cm
646.600	Turbo brush with air drive, 16 cm
020.320	Filter cloth



with sensational separation even with foamy liquids



Simple mounting and dismounting of suction hose

SW 21 Combi

Robust and flexible, the perfect model for small to medium areas. For operators who require a high-performance wet and dry vacuum cleaner, with added benefits for easy operation.

Art. 014.000



Total power	1100 W / 230V
Vacuum	210 mbar
Volume dustbag	16,5 liters
Usable water volume	24 liters
Castors	4

Technical data:

iters ers Cable length 12,7 kg Weight incl. accessories Measurements (I/w/h) 42/42/65 cm

00p.0.0	
020.567	Hose, 3 m, compl.
022.015A	Telescope vacuuming tube inox
646.200	Hard floor tool, 30 cm
645.004	Upholstery nozzle
645.006	Rubber crevice tool
20122519	Dustbag basket
646.100	Water suction nozzle, 30 cm
014.600	Float insert compl.
_	1 fleece han (16.5.I)

Special acc	essories:
020.430	Dustbag (1 packet with 10 pieces)
687011290	Paper filter (1 packet with 10 pieces)
645.005	Dropery brush
646.710	Hard floor tool, 30 cm
646.520	Turbo brush with air drive, 28 cm
646.600	Turbo brush with air drive, small 16 cm
020.320	Filter cloth
646.300	Water suction nozzle, 37 cm
645.103	Carpet nozzle
645.009	Rubber crevice tool long
014.430	Fleece bags (1 packet with 5 pieces)



SW21 Combi Wet and dry tools



Simple dismantling and cleaning



Large wheels provide maximum manoeuvrability and ease of use



Simple mounting and dismounting of suction hose



SW 21 Aqua

High perfomance and uncompromisingly. The model for professionals who require a heavy duty wet pick up vacuum with long lasting accessories. This SW21 Aqua is also perfect in combination with the use of Cleanfix single disc machines.

Art. 014.010



Technical data:	
Total power	1100 W / 230V
Vacuum	210 mbar
Useable water volume	24 liters
Castors	4
Cable length	10 m
Weight incl. accessories	13,3 kg
Measurements (I/w/h)	42/42/65 cm

Complete incl.:

014.567	Set of 2 Inox tubes bent, Ø 38 mm	
014.569	Vacuum hose, 4 m, Ø 38 mm	
646.310	Hard floor nozzle, 36 cm	
014.600	Float insert compl.	



New filter system with sensational separation even with foamy liquids



SW21 Aqua wet tools and inox tubes

SW 25 K with tipping trolley

Art. 023.000

With its high suction capacity the SW 25 K copes professionally and reliably with industrial surfaces. The tipping frame simplifies emptying of the dirty water and transport up and down steps.



Technical data:

Total power

Complete incl.:

1100 W / 230 V

2012428	Tip trolley compl.
020.567	Hose, 3 m, compl.
645.002A	Tube metallic (2 pieces needed)
021.601	Float insert compl.
646.300	Water suction nozzle, 37 cm
645.103	Carpet nozzle
645.004	Upholstery nozzle
645.006	Rubber crevice tool
645.005	Dropery brush
20122519	Dustbag basket complete
_	Dustbag

Special accessories:

opooiai aoo	00001.001
020.430	Dustbag (1 packet with 10 pieces)
014.430	Fleece bags (1 packet with 5 pieces)
026.950	Nylon dustbag for wet vacuuming
646.200	Hard floor tool, 30 cm
646.710	Hard floor nozzle with brush strip, 36 cm
2012225	Large area filter
687011290	Paper filter (1 packet with 10 pieces)
2012250	Water suction nozzle with fixed bracket, Ø 38 mm
687011656	Material basket
020.320	Filter cloth
645.009	Rubber crevice tool long

SW 25 K



Resistent stainless



Polyester filter improve filtration



Hardfloor-and water suction tool



Mountable squeeze attachement



Practical carrying basket

www.eco-serv.ru

For demanding duties

SW 60

Triple engined wet and dry vacuum cleaner with high suction power for professional use. Thanks to its four wheels, it is easy to transport. High-quality stainless steel container and stainless steel tubes.

Art. 013.001



Technical data:	
Total power max	3 x 1200 W / 230 V
Vacuum	205 mbar
Volume tank	56 liters
Working width	42 cm
Cable length	10 m
Weight	28 kg
Measurements I/w/h	61/52/92 cm
Motor	3

Complete incl.: 013.100 Vac

013.100	Vacuum hose, 3 m
013.101	One tube metallic (2 pieces needed)
013.102	Hard floor tool, 41 cm
013.103	Water suction nozzle, 42 cm
013.104	Carpet nozzle
013.105	Crevice tool
013.106	Brush nozzle
_	Dustbag





Motor head



SW 60 accessories

- 3 suction motors 1200 W
- extremely robust

The steaming power pack



DS 8

With a maximum performance and enormous capacity, the DS 8 steam vacuum unit is distinguished above all by its application in the commercial sector. The simple principle of steaming and extraction in one operation ensures first-class cleaning results.

DS8/230V 15A	Art. 036.000
DS8/230V 10A	Art. 036.005
DS8 / 400V 10A	Δrt .036.010

Technical data DS 8/230 V	/15 A:
Total power	3500 W
Vacuum	210 mbar
Fresh / dirty water capacity	6,5 / 11 liters
Pump pressure max.	4 bar
Temperature protector	4 times
Voltage control	9 V
Cable length	7,5 m
Weight	21 kg
Measurements I/w/h	53/36/61 cm
Heating power	2500 W

Technical data [DS 8/	400 '	V/	10 A:
------------------	-------	-------	----	-------

Total power	6000 W
Vacuum	210 mbar
Fresh / dirty water capacity	6,5 / 11 liters
Pump pressure max.	4 bar
Temperature protector	4 times
Voltage control	9 V
Cable length	7,5 m
Weight	21 kg
Measurements I/w/h	53/36/61 cm
Heating power	5000 W

Technica	l data	DS 8	/230	V/	10A-

Icommour data DO 07 200 V	/ 10/h.
Total power	2800 W
Vacuum	210 mbar
Fresh / dirty water capacity	6.5/11 liter
Pump pressure max.	4 bar
Temperature protector	4 times
Voltage control	9 V
Cable length	7.5 m
Weight	21 kg
Measurements I/w/h	53/36/61 cm
Heating power	1800 W



036.275	Push bar upper part
036.276	Push bar lower part
036.410	Vacuum and steam hose, 3 m, with tool handle
028.031	Refil bottle, 2 liters
028.600	Floor tool complete
036.800	Vacuum and steam tube complete
036.277	Material basket

Special accessories:

028.910	Wall nozzle, 14 cm		
028.930	Extension tube		
028.650	Wall and ceiling nozzle		
028.700	Jet nozzle		
028.710	Shortend crevice tool		
028.970	Long and bent jet nozzle		
028.040	Round brush small, 25 mm		
028.041	Round brush small (set of 3)		
036.400	Set of accessories:		
	028.600 Floor tool complete		
	036.410 Vacuum and steam hose, 3m, with tool handle		
	036.800 Vacuum and steam tube complete		
036.420	Vacuum and steam hose, 5m, with tool handle		



Tool handle



Floor tool complete



Shortened crevice tool



Jet nozzle



Wall and ceiling nozzle



Long and bent jet nozzle



Very helpful in the kitchen



• steam and dry in one operation



Efficient cleanliness thanks brushing

BS 360 Upright vacuum cleaner

Art. 366.000

High-performing and handy vacuum and floor brushing machines with two motors. The roller brush with four height settings makes the cleaner suitable for all kinds of carpets.



Roller brush with 4 height settings



Technical data BS 360: Total power 1300 W Vacuum 230 mbar Working width 36 cm Brush revolutions 4250 1/min Cable length 10 m Weight 9 kg Measurements I/w/h 27/37/126 cm

Complete	incl.:	
_	Complete suction tube	
_	Rubber crevice tool	
Special a	ccessories:	
355.001	Dustbag (1 packet with 10 pieces)	
350.002	Textil dustbag	
355.121	Brush strines (BS 360)	



BS 360



• carpet cleaning

• high performance

The portable

RS 05 Backpack cleaner The new user-friendly RS 05 Backpack has been designed and developed with the user in mind, setting new standards of comfort and usability.



Optimal ergonomic comfortable harness





Technical data:	
Total power	1100 W / 230 V
Vacuum	250 mbar
Volume filter	4,5 liters
Cable length	15 m
Weight	4,8 kg
Measurements I/w/h	28/29/57 cm

0	ultra	ergonomic
---	-------	-----------

• ideal for staircases

Complete	incl.:
025.150	Adjustable carrying frame
025.050	Suction hose compl. 1,5 m
645.002	One metallic tube (2 pieces needed)
645.004	Upholstery nozzle
645.006	Rubber crevice tool
646.200	Hard floor tools, 30 cm
-	Dustbag

Cnooial	aaaaaaariaa

Special acc	Special accessories:		
P375	Cable assembly discharge		
022.015	Telescope vacuum tube		
645.005	Dropery brush		
646.710	Hard floor nozzles with brush strip., 36 cm		
025.221	Exhaust air filter mat		
025.435	Textil dustbag		
646.520	Turbo brush with air drive, 28 cm		
646.600	Turbo brush with air drive, 16 cm		
645.009	Rubber crevice tool long		
025.430	Dustbag (5 pieces)		
025.431	Fleece bag (5 pieces)		



Can be adapted for left and right hander



Deep cleaning of textile surfaces

TW 411

Spray extraction machine for textile surfaces such as carpets, upholstery or car interiors. Thanks to the compact and leightweight construction ideal for basic cleaning of small to medium sized surfaces. Easily removable dirty water tank allows a efficient operation. The powerful suction for results in a fast dried surface, the optional hard floor adapter allows cleaning of stone- or other hard floors.

Art. 043.000



Technical data:	
Max area performance	$20 - 25 m^2 / h$
Power rating fan	max. 1200 W
Power rating pump	max. 40 W
Vacuum	220 mbar
Tank fresh / dirty water	10,5/91
Spray pressure	2,4 bar
Spray rate	1,6 I/min
Air flow rate	54 I / sec
Cable length	7,5 m
Weight	14 kg
Measurements I/w/h	65/32,5/44 cm

Complete incl.:

606.000.4	Carpet adapter 1 jet, 23 cm, with plastic handtube
043.560	Spray and suction hose compl. 2,2 m

Special accessories:

opooia. aoo	
606.000.3	Carpet adapter, 1 jet 23 cm with inox tube
617.000.1	Upholstery tool 8 cm, PVC, transparent, with nozzle inside
618.000	Upholstery tool 9 cm, Alu, with nozzle outside
607.000	Stair tool, 1 jet 23 cm
622.000	Wall and ceiling tool, 9 cm
P600W	Hard floor tool for nozzle 23 cm



Thanks to the optional slide, it's possible to clean even hardfloors



Extremly manageable



Easy to handle / transport



Easy to empty of the detachable dirt water tank

TW 412

Spray extraction machine for professional use. Thanks to the compact and leightweight construction ideal for basic cleaning of small to medium sized surfaces. The same machine like the TW 411, but with two pumps and two jet carpet adapter for a higher spray quantity.

Art. 044.000



Technical data:	
Max area performance	30 - 40 m ² /h
Power rating fan	max. 1200 W
Power rating pump	max. 70 W
Vacuum	220 mbar
Tank fresh / dirty water	10,5/91
Spray pressure	2,4 bar
Spray rate	2,3 I/min
Air flow rate	54 I / sec
Cable length	7,5 m
Weight	14 kg
Measurements I/w/h	65/32.5/44 cm

602.000.4	Carpet adapter 2 jet, 26 cm, with inox handtube
043.560	Spray and suction hose compl. 2,2 m
Cuasial as	
Special ac	cessories:

opeciai acc	,63301163.
606.000.3	Carpet adapter, 1 jet 23 cm with inox tube
P600W	Hard floor tool for nozzle 23 cm
607.000	Stair tool, 1 jet 23 cm
617.000.1	Upholstery tool 8 cm, PVC, transparent, with nozzle inside
618.000	Upholstery tool 9 cm, Alu, with nozzle outside
622.000	Wall and ceiling tool, 9 cm

Everlasting



TW 300 S

The little professional spray-extractor TW 300 S is a compact power package on 4 castors. Carpet washing, hard floor cleaning, vacuum cleaning and water pick up in one machine.

Art. 030.000



Technical data:	
Total power	1000 W / 230V
Vacuum	210 mbar
Fresh / dirty water capacity	7/7 liters
Pump pressure max.	2,4 bar
Spray pressure	1,6 I/min
Airflow capacity	54 I/sec
Cable length	7,5 m
Weight	9,5 kg
Measurements I/w/h	40/40/52 cm

Complete incl.:

606.000	Carpet adapter 1 jet, 26 cm, with plastic handtube
P562	Suction hose compl. 3 m
P566B	Spray hose 3,2 m

Special accessories:		
606.000.1	Carpet adapter, 1 jet 26 cm with inox handtube	
606.000.2	Carpet tool, 1 jet 23 cm with plastic handtube	
606.000.3	Carpet adapter, 1 jet 23 cm with inox tube	
607.000	Stair tool, 1 jet 23 cm	
617.000.1	Upholstery tool 8 cm, PVC, transparent, with nozzle inside	
618.000	Upholstery tool 9 cm, with nozzle outside	
622.000	Wall and ceiling tool 9 cm	
646.100	Water suction adapter on castors, 30 cm	
P600W	Hard floor tool for nozzle, 23 cm	
645.000	Dust set with 7 parts	



Easy to absorb



detachable dirt water tank



TW 350/TW 600 Easy to empty of dirt

water tank

Easy to handle/transport



TW 600 Maximum capacity thanks to



Upholstery tool



Stairscleaning (optional)



Carpet adapter with hardfloor slide

TW 600

The extraction machine TW 600 is compact in size and big in performance. Unique membrane thank system gives a massive 28 liters capacity suitable for large areas.

Art. 060.000



Technical data:	
Total power	1000 W / 230V
Vacuum	210 mbar
Fresh / dirty water capacity	28/30 liters
Pump pressure max.	5 bar
Spray pressure	2,5 I/min
Airflow capacity	50 I / sec
Cable length	7,5 m
Weight	21 kg
Measurements I/w/h	53/36/69 cm

Complete incl.:

602.000.1	Carpet adapter 2 jet, 26 cm, with inox handtube
035.561	Spray and suction hose compl. 3 m

Consist assessation

Special acc	essuries.
602.000	Carpet adapter 2 jet, 26 cm,
606.000.3	Carpet adapter, 1 jet 23 cm, with inox handtube
607.000	Stair tool, 1 jet 23 cm
617.000.1	Upholstery tool 8 cm, PVC, transparent, with nozzle inside
618.000	Upholstery tool 9 cm, Alu, with nozzle outside
622.000	Wall and ceiling tool 9 cm
P600W/	Hard floor tool for nozzla 23 cm

Special accessories

Carpet and floor Dryer Hurrican Art. 990.000

Shortens the time to dry out cleaned areas. A gentle drying due to the catalysm of the air. Due to this room air catalysm no shrinking of any carpets can occure.





Technical data: 3-stage 1200 W Total power Air catalysm 105 m³/min Cable length 7 m Weight 18,5 kg Measurements I/w/h 50/45/48 cm Ventilation stages Noise level 76 dBA Quantity of circulating air 6200 m3 / h

Powerful and multifunctional

TW 1250

Spray-extraction machine with a high suction performance for the professional cleaning of large areas. The spray pressure is fully adjustable from 2 to 11 bar.

Art. 125.000



Technical data:	
Total power	1700 W / 230V
Vacuum	250 mbar
Fresh / dirty water capacity	35 / 40 liters
Pump pressure max.	2-11 bar
Spray pressure	3.6 I/min
Airflow capacity	60 I / sec
Cable length	20 m
Weight	39 kg
Measurements I/w/h	82/41/84 cm

Complete incl.:

611.000	Carpet adapter, 4 jet 30 cm, alu high pressure
125.400	Vacuum and spray hose HP (high pressure), 4 m
500.863	Power cable, 20 m, 3 x 1 mm ²

Special accessories:		
608.000	Carpet adapter, 5 jet nozzles Alu HP, 40 cm	
617.000.1	Upholstery tool 8 cm, PVC, transparent, with nozzle inside	
618.000	Upholstery tool 9 cm, Alu, with nozzle outside	
622.000	Wall and ceiling tool, 9 cm	
638.000	Hard floor adapter, 37 cm	
681.000	Filling up hose for fresh water, 2m	





easy to maintain





Fully adjustable





Spraying and absorbing forward and backward







Clearly laid out waterproof control

TW Compact

Highest cleanliness with spray, brush and vacuum. The exceptional carpet cleaning machine with brush action forwards and backwards cleaning. The ideal machine for professional cleaning of large areas. Push bar hinged. With it's adapter connection it is possible to clean corners, edges and stairs.

Art. 420.000



Technical data:	
Total power	1600 W/230V
Vacuum	250 mbar
Fresh / dirty water capacity	35 / 40 liters
Vacuum width	36 cm
Brush width	32 cm
Pump pressure max.	5 bar
Spray pressure	2,6 I/min
Airflow capacity	60 I / sec
Cable length	20 m
Weight	45 kg
Measurements I/w/h	100/45/93 cm

420.472	Cylindrical brush, white
400.784	Water bucket, 12 liters
411.750	Fresh water drain hose
500.863	Power cable, 20 m, 3 x 1 mm ²

Special accessories:		
420.470	Cylindrical brush black	
420.011	Spray and vacuum hose, 5 m, Ø 32 mm	
602.000.1	Carpet adapter, 2 jet 26 cm, with inox handtube	
617.000.1	Upholstery tool 8 cm, PVC, transparent, with nozzle inside	
632.000	Hard floor adapter 37 cm	
681.000	Filling up hose for fresh water, 2m	



Compact and agile for small areas

RA 300 E 2 disc brushes

The ideal compact machine for smaller areas of all types of hard floor. The two disc brushes thoroughly scrub the floor, and the dirty solution is immediately extracted via squeegee system. With adjustable handle.





Technical data:	
Total power	1200 W
Vacuum	180 mbar
Fresh water capacity	13 liters
Dirty water capacity	16 liters
Suction width	39 cm
Working width	35 cm
Productivity rate	
theoretical	1320 m ² /h
Brush pressure	10 kg
Brush diameter	2 x 17 cm
Cable length	7,5 m
Weight	22 kg
Measurements I/w/h	55/39/46 cm
Squeegee lifter	incl.

Complete incl.:

320.059	Disc brush Ø 16.5 cm (2 pieces needed)	
300.420	Vacuum nozzle complete (2 pieces needed)	

Special acc	essories:	
300.070	Driving disc, Ø 16,5 cm (2 pieces needed)	
300.010.10	Pad red, Ø 16	6,5 cm, 10 pieces
300.025.10	Pad blue, Ø 16.5 cm, 10 pieces	
300.020.10	Pad brown, Ø 16,5 cm, 10 pieces	
300.030	Micro fibre pad, Ø 16,5 cm, 1 piece	
300.0595K	Disc brush, 5K, Ø 17 cm, 1 piece	
300.060	Accessories-kit:	
	380.060	Spray and suction hose, 3 m
	606.000.2	Carpet tool, 1 jet 23 cm
		with plastic handtube
	P600W	Hard floor nozzle
681.000	Filling up hos	se for fresh water, 2 m



RA 300 E: Removable tank



Accessory Kit



Fully adjustable telescopic handle



Easy removable

corridors



Fully adjustable telescopic handle



Two removable



integrated measuring

RA 330 IBC 2 disc brushes

Machine with one 12 V battery and internal charger and two 12 It tanks. This autoscrubber is very habil and maneuverable and for this reason perfect for all kind of hard floors in small areas (like cloakrooms). The machine has two scrubbing brushes to ensure real scrubbing efficiency. With a suction nozzle in the front and on the back you can absorb the dirt very well and you can work forward and backwards.

Art. 330.000



320.059	Disc brush (2 pieces needed), Ø 16,5 cm
330.091	Battery 12V / 33 Ah (19,5 x 13 x 18 cm)
330.092	Battery charger
320.421	Suction nozzle

Special acc	essories:
300.070	Driving disc (2 pieces needed), Ø 16,5 cm
300.010.10	Pad red, Ø 16,5 cm, 10 pieces
300.025.10	Pad blue, 16.5cm,10 pieces
300.020.10	Pad brown, Ø 16,5 cm, 10 pieces
300.030	Micro fibre pad, Ø 16,5 cm, 1 piece
300.0595K	Disc brush, 5K, Ø 16,5 cm, 1 piece
681.000	Filling up hose for fresh water, 2 m



Powerful and handy



RA 410 E 1 cylindrical brush

Perfect results on all types of hard floors with the cylindrical brush plus twin retractable squeegees. It scrubs and dries both forward and backwards. With adjustable handle.

Art. 411.000



(while stocks last)

Technical data:	
Total power	1200 W / 230 V
Vacuum	215 mbar
Fresh water capacity	33 liters
Dirty water capacity	38 liters
Suction width	44 cm
Brush width	33 cm
Productivity rate	
theoretical	1320 m ² /h
Brush pressure	12 kg
Working width	33 cm
Weight	38 kg
Cable length	20 m
Measurements I/w/h	97/48/70 cm
Squeegee lifter	incl.

oompiete n	ICI
400.470	Cylindrical brush standard, 33 cm
400.784	Water bucket, 12 liters
411.750	Fresh water drain hose
400.520	Vacuum nozzle compl., front
400.530	Vacuum nozzle compl., back
500.863	Power cable, 20 m, 3 x 1 mm ²

o ·	
Special acc	essories:
681.000	Filling up hose for fresh water, 2m
400.472	Brush hard, 33 cm
420.011	Spray and vacuum hose, 5 m
606.000.2	Carpet tool, 1 jet 23 cm with plastic hand tube
606.000.3	Carpet tool, 1 jet 23 cm with inox tube
P600W	Hard floor nozzle
400.050	Set of lamella compl.



RA 410 E Maximum capacity with membrane tank



Adapter connection for cleaning in narrow places and stairs



Hardfloor tool



Simple clear controls


Powerful and compact

RA 431 E RA 431 B (Battery) RA 431 IBC

(Integrated Battery Charger)

RA 431 E: Art. 432.000
RA 431 B: Art. 436.000
RA 431 IBC: Art. 436.015

Very tough scrubbing machine for middle-sized floor space in business and industry. Optimum cleaning results with high brush pressure. With big wheels the machine runs vibration free and copes well with obstacles. The machine pulls itself forward by using the brush rotation.



Technical data RA 431 B/	RA 431 IBC:
Power supply	24 V DC
Power brush motor	750 W
Power suction motor	400 W
Vacuum	110 mbar
Fresh water capacity	32 liters
Dirty water capacity	38 liters
Suction width	76 cm
Productivity rate	
theoretical	1750 m ² /h
Working width	43 cm
Brush pressure	47 kg
Brush speed	150 rpm
Weight (without battery)	48 kg
Weight (with battery)	122 kg

Measurements I/w/h

85/43/80 cm

Complete incl.:

742.059	Scrubbing brush PPN 0.6, Ø 43 cm
500.863 I	Power cable, 20 m, 3 x 1 mm ²

Accessories RA 431 E:

432.031	Suction nozzle, standard, complete incl. suction hose
432.032	Suction nozzle curved oil and grease resistant

Accessories RA 431 B/RA 431 IBC:

Accessories na 451 b/ na 451 lbc:		
432.031	Suction nozzle, standard, complete incl. suction hose	
432.033	Suction nozzle curved oil and grease resistant	

Accessories

Accessories	Si.
681.000	Filling up hose for fresh water, 2m
742.070	Driving disc, 180 rpm, Ø 39 cm
742.073	Exposed aggregate pavement brush, Ø 43 cm
742.0595K	Scrubbing brush PPN 0.6 5K, Ø 43 cm
742.076	Silicium Carbid brush
694.321.5	Pad white, Ø 43,2 cm, 5 pieces
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.327	Micro fibre pad, Ø 43,2 cm
432.551	Rubber blade oil resistant Suction nozzle curved)
432.552	Rubber blade standard (Suction nozzle curved)
500.091	Set of Gel batteries à 12 V/76 Ah (C5)
	(330 x 171 x 236 mm)
686.100	Battery charger 24V / 12A VDE



Large filling hole



Easy brush assembly



Easy emptyin



Rubber blade set



Water regulator



Motor cut of



Powerful and compact



RA 433 IBC

(Integrated Battery Charger)

Innovative and robust scrubber dryer for middle sized floors in crafts and industries. Ideal cleaning efficiency due to high brush pressure. The big sized wheels ensure a vibration free drive of the machine. Traction occurs via brush rotation, means the machine pushes forward indepen-

Art. 433.015

Technical data:	
Power supply	24 V DC
Power brush motor	750 W
Power suction motor	400 W
Vacuum	110 mbar
Fresh water capacity	32 liters
Dirty water capacity	38 liters
Suction width	53 cm
Working width	43 cm
Productivity rate theoretical	1750 m ² /h
Brush pressure	47 kg
Weight without battery	64 kg
Weight with battery	122 kg
Measurements I/w/h	$85/43/80 \ cm$

Com	DIGLG	1110	

742.059	Scrubbing brush PPN 0.6, Ø 43 cm
433.108	Suction nozzle, standard, complete incl. suction hose

Special acc	essories:
681.000	Filling up hose for fresh water, 2m
742.070	Driving disc, 180 rpm, Ø 39 cm
790.070A	Driving disc High-Speed with rubber element
752.070 A	Driving disc, high speed
742.072	Polishing brush Mexican Fibre
742.073	Exposed aggregate pavement brush
742.0595K	Scrubbing brush PPN 0.6 5K, Ø 43 cm
742.076	Silicium Carbid brush
694.321.5	Pad white, Ø 43,2 cm, 5 pieces
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.326	Pad high speed, Ø 43 cm natural fibres
694.327	Micro fibre pad, Ø 43,2 cm
433.081	Rubber blade oil and frease resistant
	(Suction nozzle curved)
433.082	Rubber blade standard (Suction nozzle curved)
500.091	Set of Gel batteries à 12 V/76 Ah (C5)
	(330 x 171 x 236 mm)



handle is a switch for the two speeds.





Rubber blade set



Water volume control



Motor cut off



Powerful and compact

RA 501 E RA 501 B (Battery) RA 501 IBC Very tough scrubbing machine for middle-sized floor space in business and industry. Optimum cleaning results with high brush pressure. With big wheels the machine runs vibrationfree and copes well with obstacles. The machine pulls itself forward by using the brush rotation.

RA 501 E:	Art. 501.000
RA 501 B:	Art. 501.010
RA 501 IBC:	Art. 501.015

Technical data RA 501 E:	
Power supply	$\sim 230 \; V/50 \; Hz$
Power brush motor	1100 W
Power suction motor	750 W
Vacuum	190 mbar
Fresh water capacity	35 liters
Dirty water capacity	40 liters
Suction width	82 cm
Working width	50 cm
Productivity rate	
theoretical	2100 m ² /h
Brush pressure	34 kg
Brush speed	180 rpm
Weight	62 kg
Measurements I/w/h	80/51/73 cm
Cable length	20 m

Technical data	RA 501	R/RA	501 IRC	٠

iccimical data fire 30 i D/	IIA JUI IDU.
Power supply	24 V DC
Power brush motor	1000 W
Power suction motor	400 W
Vacuum	130 mbar
Fresh water capacity	32 liters
Dirty water capacity	38 liters
Suction width	82 cm
Working width	50 cm
Productivity rate	
theoretical	2100 m ² /h
Brush pressure	48 kg
Brush speed	135 rpm
Weight (without battery)	54 kg
Weight (with battery)	122 kg
Measurements I/w/h	85/51/80 cm



Complete mon	
730.059	Scrubbing brush PPN 0,6, Ø 51 cm
500.863	Power cable, 20 m, 3 x 1 mm ²

ccessories RA 501 E:

ACCC33011	ACCESSORIES IIA JULE.	
432.031	Suction nozzle, standard, complete incl. suction hose	
432.032	Suction nozzle curved oil and grease resistant	

Accessories RA 501 B/RA 501 IBC:

ACCCSSOTICS TIA SOT D/ TIA SOT IDO.		
432.031	Suction nozzle, standard, compl. incl. suction hose	
432.033	Suction nozzle curved oil and grease resistant	

Special accessories:

681.000	Filling up hose for fresh water, 2 m
730.0595K	Scrubbing brush 5K Ø 51 cm
730.070	Driving disc Ø 47 cm
730.073	Exposed aggregate pavement brush Ø 51 cm
730.476	Silicium Carbid brush
695.087.5	Pad red, Ø 50,8 cm, 5 pieces
695.088.5	Pad blue, Ø 50,8 cm, 5 pieces
695.089.5	Pad brown, Ø 50.8 cm, 5 pieces
432.551	Rubber blade oil resistant (Suction nozzle curved)
432.552	Rubber blade standard (Suction nozzle curved)
500.091	Set of Gel batteries à 12 V/76 Ah (C5)
	(330 x 171 x 236 mm)
686.100	Battery charger 24V / 12A VDE



Large filling hole



Easy brush assembly



Easy emptying



Rubber blade set



Water regulator



Motor cut of

Agile and user friendly



RA 505 IBC (Integrated battery charger)

Shapely, robust scrubber dryer, ideal for hard and flexible floors for industries, retail and public environments. Traction occurs via brush rotation, means the machine pushes forward independently. All operational controls are very user friendly — a brush change is carried out in seconds. Ideal for middle sized surfaces.

Art. 555.015

Technical data:		
Traction via brush rotation, n	neans the	
machine pushes forward sel-	f-dependent.	
Power supply	24 V DC	
Power brush motor	750 W	
Power suction motor	400 W	
Vacuum	130 mbar	
Fresh water capacity	55 liters	
Dirty water capacity	56 liters	
Suction width	88 cm	
Working width	51 cm	
Productivity rate theoretical	2100 m ² /h	
Brush pressure	48 kg	
Brush diameter	51 cm	
Weight incl. batteries	164 kg	
Measurements I/w/h	145/56/113 cm	

Complete incl.:		
730.059	Scrubbing brush Ø 51 cm	
555.560	Suction nozzle curved	
Special Ac	cessories:	
681.004	Filling up hose for fresh water 1,6 m	
555.070	Driving disc Ø 47 cm	
730.0595K	Scrubbing brush 5K Ø 51 cm	
730.073	Exposed aggregate pavement brush Ø 51 cm	
730.476	Silicium Carbid brush Ø 51 cm	
695.087.5	Pad red, Ø 50,8 cm, 5 pieces	
695.088.5	Pad blue, Ø 50,8 cm, 5 pieces	
695.089.5	Pad brown, Ø 50,8 cm, 5 pieces	
565.082	Rubber blade standard	
565.081	Rubber blade oil resistant	
530.091	Set of 2 Gel batteries à 12 V / 105 Ah (C5) (345 x 172 x 283 mm)	



Suction unit is very easy to use



The operator can always see inside the tank



Easy to open and to clean



Easy access to the



The brush can be



Edge cleaning, easy as pie, whether along borders, frames or palettes, the machine adapts to the circumstances



Integrated battery charger

Canister 5 liters empty

- Traction via brush rotation
- close turning radius
- silent working

565.535



Agile and clearly

RA 505 IBCT

(Integrated battery charger and forward and backwards traction)

Shapely, robust scrubber dryer, ideal for hard and flexible floors for industries, retail and public institutions. Forward/backwards working possible. The RA 505 IBCT has a automatic traction, as well as environmentally friendly chemical dosing with the Cleanfix-Dosing-System (optional), ensures a high user friendliness. Ideal for middle sizes surfaces.

Art. 555.055	without chemical dosing system CADS
Art. 555.010	with chemical dosing system CADS

Technical data:		
Automatic traction via traction motor		
Power supply	24 V DC	
Power brush motor	750 W	
Power suction motor	400 W	
Vacuum	130 mbar	
Fresh water capacity	55 liters	
Dirty water capacity	56 liters	
Suction width	88 cm	
Working width	51 cm	
Productivity rate theoretical	2100 m ² /h	
Brush pressure	48 kg	
Brush diameter	51 cm	
Weight incl. batteries	178 kg	
Measurements I/w/h	145/56/113 cm	

Complete i	ncl.:
730.059	Scrubbing brush, Ø 51 cm
555.560	Suction nozzle curved
Special acc	essories:
681.004	Filling up hose for fresh water, 1,6 m
555.070	Driving disc
730.0595K	Scrubbing brush 5K, Ø 51 cm
730.073	Exposed aggregate pavement brush, Ø 51 cm
730.476	Silicium Carbid brush, Ø 51 cm
695.087.5	Pad red, Ø 50,8 cm, 5 pieces
695.088.5	Pad blue, Ø 50,8 cm, 5 pieces
695.089.5	Pad brown, Ø 50,8 cm, 5 pieces
565.081	Rubber blade oil resistant
565.082	Rubber blade standard
530.091	Set of 2 Gel batteries à 12 V / 105 Ah (C5) (345 x 172 x 283 mm)
565.535	Canister 5 liters empty
565.267	Tractionwheel (2 pieces needed)



Suction unit is very easy to use



The operator can always see inside the tank



Clearly laid out control planel



Chemical dosing easy to set



The floater works at the same time as overflow protection



Retainer for 5 lts. Canister



Optional filling hose is always with the machine. With this, the clean water tank can be filled from every tap.



- Easy handling suction nozzle
- Easy understandable display High cleaning power
- Integrated battery charger
- Forward and backwards traction
- automatical water dosing, depends on speed
- Chemical saving with Cleanfix dosing system (optional)

Modern and powerful



RA 605 IBCT

Art. 565.055

Art. 565.010

(Integrated battery charger and forward and backwards traction)

Shapely, robust scrubber dryer, ideal for hard and flexible floors for industries, retail and public environments. Two contra-rotating brushes for streak-free cleaning. Automatic traction, as well as environmentally friendly chemical dosing with the Cleanfix-Dosing-System (optional), ensures a high user friendliness. Ideal for bigger surfaces.

Technical data:	
	041400
***** **FF*/	24 V DC
Power brush motor	750 W
Power suction motor	400 W
Vacuum	130 mbar
Fresh water capacity	55 liters
Dirty water capacity	56 liters
Suction width	88 cm
Working width	60 cm
Productivity rate theoretical	2500 m ² /h
Brush pressure	55 kg
Brush diameter	2 x 31 cm
Weight incl. batteries	190 kg

without chemical dosing system CADS

with chemical dosing system CADS

Technical data:		Complete incl.:	
Power supply	24 V DC	565.059	Scrubbing brushes, Ø 31 cm (2 pieces needed)
Power brush motor	750 W	555.560	Suction nozzle curved
Power suction motor	400 W		
Vacuum	130 mbar	Special ac	cessories:
Fresh water capacity	55 liters	681.004	Filling up hose for fresh water, 1,6 m
Dirty water capacity	56 liters	565.535	Canister 5 liters empty
Suction width	88 cm	565.430	Compl. chemical dosing, incl. assembling
Working width	60 cm	565.082	Rubber blade, standard
Productivity rate theoretical	2500 m ² /h	565.081	Rubber blade oil resistant
Brush pressure	55 kg	565.070	Driving disc (2 pieces needed)
Brush diameter	2 x 31 cm	565.073	Exposed aggregate pavement brush,
Weight incl. batteries	190 kg		Ø 31 cm (2 pieces needed)
Measurements I/w/h	138/64/113 cm	565.074	Exposed aggregate pavement brush, fine (2 pieces needed)
		565.076	Silicium Carbid brush, Ø 31 cm
		693.052.5	Pad red, Ø 30,5 cm, 5 pieces
		693.053.5	Pad blue, Ø 30,5 cm, 5 pieces
		693.054.5	Pad brown, Ø 30,5 cm, 5 pieces
		530.091	Set of 2 Gel batteries à 12 V / 105 Ah (C5)
			(345 x 172 x 283 mm)
		565 267	Tractionwheel (2 pieces needed)



Suction unit is very easy to use



The operator can always see inside the



Clearly laid out control planel



Chemical dosing easy to set



The floater works at the same time as overflow protection



Retainer for 5 Its. Canister



- Easy understandable display
- High cleaning power
- Integrated battery charger
- Forward and backwards traction
- automatical water dosing, depends on speed
- Chemical saving with Cleanfix dosing system (optional)

Small and manoeuvrable

RA 535 IBCT Including chemical dosing system CADS

Ride comfortably instead of walking along behind – this is what the ride-on scrubber dryer RA 535 IBCT has to offer. The RA 535 IBCT is smaller and more manoeuvrable than expected. Ideal for cleaning hard and rubberized floors of medium-size in industry, commerce and public institutions. With chemical dosing system CADS.

Art. 535.000

incl. integrated battery charger

Technical data:	
Power supply	24 V DC
Power traction motor	400 W
Power brush motor	400 W
Power suction motor	400 W
Working width	53 cm
Suction width	60 cm
Turning radius	150 cm
Vacuum	115 mbar
Fresh water capacity	55 liters
Dirty water capacity	55 liters
Brush speed	175 rpm
Working speed	3-6 km/h
Maximum speed	6 km/h
Productivity rate theoretical	3180 m ² /h
Autonomie max.	2,3 h
Weight empty	148 kg
Protection class	IPX4
Noise level	64 db (A)
Measurements I/w/h	127 x 65 x 113 cm

Complete i	ncl.:
535.059	Scrubbing brush, Ø 53 cm
535.250	Traction wheel "supergrip" standard
535.440	Filtre cartridge standard
535.082	Rubber blade standard
535.560	Suction nozzle curved
535.100	Compl. Chemical dosing system
Special acc	essories:
535.0595K	5K brush (supermarket mix)
535.073	Exposed aggregate pavement brush
535.070	Driving disc
535.910.5	Pad red, Ø 53 cm, 5 pcs.
535.911.5	Pad blue, Ø 53 cm, 5 pcs.
535.912.5	Pad brown, Ø 53 cm, 5 pcs.
530.091	Set of 2 Gel batteries à 12 V / 105 Ah (C5)
	(345 x 172 x 283 mm)
535.110	Filling up hose for fresh water
535.081	Rubber blade oil resistant
535.083	Rubber blade linatex (tile floors)
535.450	Hepa filter cartridge
535.130	divider wall dirty water tank



Comfortable seat



Suction base mounted directly behind the



with charge indicator



Dirty water tank easy to clean



Rear view with fresh- and waste water tank discharge

- Ergonomically seat
- Clear operating panel
- With integrated charger
- With S-DOSE Speed Variable Dosing, speed-depending provision of cleaning
- Standard with CADS
- Changing batteries in less than 5 minutes
- Suction bas beneath the vehicle, cannot get stuck
- Twice as fast as a walk-behind model
- Fits into every elevator thanks to narrow passage width





The ride-on model

RA 800 sauber

Our RA sauber shows its power where we ask for manoeuvrability and speed. The sauber drives through doors with a width of 80 cm, has a good turning circle and is 50% faster then a walk behind scrubber. Due to the four wheels, a drive in the back, the machine is comfortable low to get on. The construction of the machine is very stable and robust.

Art. 800.000

without chemical dosing system CADS

Technical data:	
Total power	2150 W
Vacuum	160 mbar
Fresh water capacity	130 liters
Dirty water capacity	135 liters
Suction width	105 cm
Working width	76 cm
Productivity rate	
theoretical	6400 m ² /h
Brush diameter	2 x 38 cm
Turning circle	210 cm
Weight complt.	560 kg
Measurements I/w/h	172/72/132 cm
Autonomy	approx. 4 h

Complete incl.:

800.059	Scrubbing brush, Ø 38 cm (2 pieces needed)
800.550	Suction nozzle bent
Special acc	nagarias:
800.070	Pad holder (2 pieces needed)
800.476	Silicium Carbid brush (2 pieces needed)
800.573	Exposed aggregate pavement brush (2 pieces needed)
800.902.5	Pad red, Ø 38,1 cm, 5 pieces
800.903.5	Pad blue, Ø 38,1 cm, 5 pieces
800.904.5	Pad brown, Ø 38,1 cm, 5 pieces
800.640	filter for raw parts
800.081	Rubber blade, oil resistant
800.082	Rubber blade, standard
800 562	Fender wheel

Accessories for street legal:

800.091 686.800

800.925	Kit for street legal, without assembling:
	Warning light yellow
	Breakdown triangle with holder
	Licence tag holder
	Tag speed limit < 10 km/h
	Reflector

Gel battery charger for Dryfit 24 V / 35 A VDE

4 x gel battery Dryfit à 6 V / 240 Ah (312 x 182 x 359 mm)



Machine open showing the batteries



2 vacuum motors



Narrow turning radius





Scale for fresh water tank



Filter for row pants



Maximum performance



RA 900 sauber

Our RA sauber shows its power where we ask for manoeuvrability and speed. The machine is comfortable low to get on. The construction is very stable and robust. Safety is guaranteed due to the for wheels and a drive in the back. A 130 liters water capacity will offer the right quantity of water used for the cleaning task to be done.

Art. 910.000	without chemical dosing system CADS
Art. 910.010	with chemical dosing system CADS

Technical data:	
Total power	2150 W
Vacuum	160 mbar
Fresh water capacity	130 liters
Dirty water capacity	135 liters
Suction width	105 cm
Working width	86 cm
Productivity rate	
theoretical	7200 m ² /h
Brush diameter	2 x 43 cm
Turning circle	210 cm
Weight compl.	500 kg
Measurements I/w/h	172/90/132 cm
Autonomy	approx. 4 h

Complete incl.:

910.059	Scrubbing brush, Ø 43 cm (2 pieces needed)
800.550	Suction nozzle bent

Special accessories:

opooiai aoo	00001100.
910.070	Pad holder (2 pieces needed)
910.476	Silicium Carbid brush (2 pieces needed)
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
800.640	filter for raw parts
800.562	Fender wheel
800.081	Rubber blade, oil resistant
800.082	Rubber blade, standard
910.071	Rubber blade brush head, standard
910.072	Rubber blade brush head, oil resistent
910.573	Exposed aggregate pavement brush
800.091	4 x gel battery Dryfit à 6 V / 240 Ah (312 x 182 x 359 mm)
686.800	Gel battery charger for Dryfit 24 V / 35 A VDE



800.925	Kit for street legal, without assembling:
	Warning light yellow
	Breakdown triangle with holder
	Licence tag holder
	Tag speed limit < 10 km/h
	Reflector



Swivelling brush head allows borderless cleaning



Solid protection system



Panel: Simple and



2 suction motors for maximum suction




Scale for fresh water



Easy recharge of batteries





The Robo automatically finds the track



Robo 40s

The Robo 40s is equipped with a navigation system and therefore possesses (its own eyes and memory). Now new with automatic suction nozzle.

It drives and cleans the surface in an optimal and efficient way without any manual assistance. 10 minutes start-up time are suffient to begin cleaning of a triple size gymnasium. This results in a significant time and costs savings compared to cleaning with conventional Scrubber Dryers. By means of daily use the Robo 40s achieves respectable cleaning results.

The innovative battery technology allows reduction of the battery charging time to 5 hours. Consequently the Robo 40s can be operated twice a day. The robo is one of the most developed cleaning systems available today. It is easy to operate and far more economical than a conventional scrubber dryer.



Practical transportand service trolley



Simple handling

Art. 700.050



Technical Data:	
Performance data:	
Nominal performance	400 W
Suction performance	100-200 W
Brush pressure	17 kg
Cleaning speed	0,4 m/sec
Battery charging time	5 h
Max.operation time	6 h
Battery capacity	24 V / 58 Ah
Surface performance upto	1200 m ²
Curona / navigation system	64 MB Ram
Working width	40 cm
Suction width	50 cm
Fresh water tank	28 liters
Dirty water tank	31 liters
Weight incl. batteries	105 kg

700.141	One cylindrical brush (2 pieces needed)
700.070	Transport and service trolley
700.090	Chargers
700.091	2 x batteries 12V / 58 Ah XFC
	(280 x 97 x 256/264 mm)

Special accessories:		
681.000	Filling up hose for fresh water, 2 m	
190.070B	Robo Clean Sport, 10 liters	
190.071B	Robo Clean Universal, 10 liters	
700.905	Barrier (carton) for Robo 40s, 1,5 m wide	







Robo40s navigates with ultrasonic and 4 infrared sensors





The sonar enables it to calculate the area to be cleaned and find its pathway.











Latest automatic cleaning technology

RA 660 Navi

The RA 660 Navi can be deployed where cleanness and hygiene really matter and it has to be cleaned cost-effectively. Equipped with a unique patented navigation system, three cleaning brushes (or pads) and a suction unit, RA 660 Navi scrubs and vacuums independently and highly efficiently whenever you want.

Art. 705.000



Working width	66 cm
Suction width	79 cm
Maximum running time	up to 2.5 h
Battery capacity	24 V / 115 Ah
Cleaning speed	0.6 m/s
Fresh water tank capacity	45 I
Waste water tank capacity	45 I
Weight, including batteries	260 kg
Measurements I/w/h	925 x 850 x 880 mm

Complete incl.:

705.059	Disc brush (Set of 3 pieces)
705.220	Canister 2.5 Liter
705.082	Rubber blade standard
705.091	Set of 2 AGM batteries à 12 V / 96 Ah (C5)
705.090	Battery charger 24 V / 20 A

Special accessories:

Special accessories:		
705.081	Rubber blade oil resistant	
705.913	Pad red, Ø 23 cm (3 pieces need)	
705.914	Pad blue, Ø 23 cm (3 pieces need)	
705.070	Driving disc for pads (Set of 3 pieces)	



Membrane tan



clear and userfriendly display



Disc brush




Driving disc



Pad red

- optimised cleaning processes
- maximum cleanness and hygiene
- reduction of cleaning costs by up to 70 %



Example of warehouses with varying numbers of aisles



The small ones

Scrubby

The Scrubby machine cleans effectively. It offers you easy and comfortable cleaning in all kinds of difficult places like stairs, walls and narrow areas without the annoying presence of electric cables. With improved accu technology and quick charger

Art. 715.100



Technical data:	
Brush speed	350 rpm
Battery charging time	45 min
Running time	0,5 h
Lenght	110 - 137 cm
Weigth incl. battery	5 kg
Pad holder	14,5 cm
Working width	18 cm

Complete incl.:

715.112	Quick-charger for 9.0 V accu	
715.110	Akku Met Hybrid 9.0 V grey	
715.030	Scrubbing brush, Ø 18 cm	
715.057	Pad holder fix, Ø 14,5 cm	

Special accessories:

opoola. aoo	000000.			
715.031	Silicium Carbid brush, 18 cm			
300.040.10	Pad white, Ø 16,5 cm, 10 pieces			
300.010.10	Pad red, Ø 16,5	Pad red, Ø 16,5 cm, 10 pieces		
300.025.10	Pad blue, Ø 16,5cm, 10 pieces			
300.020.10	Pad brown, Ø 16,5 cm, 10 pieces			
300.030	Micro fibre pad, Ø 16,5 cm			
715.015	Accu-Transformer with cable, 230 V			
715.032	Cylindrical brush 15 cm			
715.114	Kid consisting o	f:		
	715.110	Akku Met Hybrid 9.0 V grey		
	715.112	Quick-charger for 9 V accu		



Scrubby: Cleaning of hardfloors



Cleaning in corners



Edge cleaning

FloorMac

Special machine for the maintenance cleaning of parquet, stone floors and linoleum. The Floor Mac runs very smooth and the antivibration system makes the machine manageable for everyone.

Art. 718.000



Picture with special Accessories

Technical data:	
Total power max.	290 W / 230 V
Working width	33 cm
Working height	25 cm
Cable length	7,5 m
Weigth	13 kg
Oscillation speed	1450 1/min
Vibration strength handle	$< 2.5 \text{ m/s}^2$
Noise level	63 E 4BV

718.070	Driving disc	
_	Polishing pad white, Ø 33 cm (1 piece)	
718.906	Micro fibre pad, Ø 33 cm	
190.056	Floor cleaner, 1 liter	
190.057	Parquet polish, 0.5 liter	
Special accessories:		
opoolal accommon		

Special accessories:		
718.902.5	Cleaning pad red, Ø 33 cm, 5 pieces	
718.901.5	Polishing pad white, Ø 33 cm, 5 pieces	
718.059	Scrubbing brush ring	
718.905	Bonnet-Pad (carpet cleaning)	



FloorMac: oscilating



Ideal for parquet



FloorMac: Scrubbing brush

For Cleaning

cleanfix Swiss Made Quality.

PowerDisc LS

The standard machine, suitable for basic and maintenance cleaning. Very quiet operation, thanks to belt drive. Optional additional weight aviable.

Art. 726.000







Technical data:	
Total power	1200 W / 230 V
Brush speed	160 rpm
Working width	44 cm
Working height	37 cm
Cable length	12,5 m
Weight incl. brush	30 kg
Vibration strength handle	$< 2.5 \text{ m/s}^2$
Protection class	I/IPX4
Torque	68 Nm
Noise level	55 dBA

Special accessories:

742.059	Scrubbing brush PPN 0,6, Ø 43 cm
742.070	Driving disc
742.073	Exposed aggregate pavement brush
742.074	Shampooing brush PPN 0.3
742.076	Silicium Carbid brush
742.070	Driving disc
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.327	Micro fibre pad, Ø 43,2 cm
694.328	Bonnet-Pad (carpet cleaning)
719.000	Solution tank, 14 liters
726.067	Inside weight 2 kg (2 pieces needed)
742.0595K	Scrubbing brush 5K, Ø 43 cm



Exposed aggregate pavement brush



Fully adjustable telescopic handle



Pads

R 44-180

accessoires

The professional choice for heavy duty scrubbing, spray cleaning and stripping of hard floors. Well balanced, easy to use and fatigue-free operation. Its Poly-V-Belt-Drive gives exceptionally low noise levels. The solid aluminium construction provides durability and extended life.

Art. 741.000



Picture with special accessoires

Technical data:

icciiiicui uutu.	
Total power	1200 W / 230 V
Brush speed	180 rpm
Working width	44 cm
Working height	33 cm
Cable length	12,5 m
Weight	34 kg
Noise level	58 dBA

Special accessories:

742.059	Scrubbing drush PPN U,b, Ø 43 cm
742.070	Driving disc
742.073	Exposed aggregate pavement brush
742.074	Shampooing brush PPN 0.3
742.076	Silicium Carbid brush
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.327	Micro fibre pad, Ø 43,2 cm
694.328	Bonnet-Pad (carpet cleaning)
742.078	Additional weight, 8 kg, incl. screws
719.000	Solution tank, 14 liters
Z481Z	Steel wool ring for crystallisation
742.0595K	Scrubbing brush 5K, Ø 43 cm



Carpet cleaning



steel wool ring

Polishing and spray-cleaning

Duo Speed

Duo-Speed single disc machine that handles stripping or scrubbing as well as high speed spray cleaning or polishing. Two adjustable brush-speeds (190 or 380 1/min) for efficient and cost-effective maintenance of virtually all floors.

Art. 790.000



Total Power	1200–1500 W /	
	230 V	
Brush speed	190/380 rpm	
Working width	44 cm	
Working height	33 cm	
Cable length	12,5 m	
Weight	39 kg	
Vibration strength handle	$< 2.5 \text{ m/s}^2$	
Torque	65/40 Nm	
Protection class	I/IPX4	
Noise level	65 dBA	

Special accessories:

742.059	Scrubbing brush PPN 0,6, Ø 43 cm
742.070	Driving disc
742.073	Exposed aggregate pavement brush
742.074	Shampooing brush PPN 0.3
742.076	Silicium Carbid brush
742.072	Polishing brush (Mexican Fiber)
790.070A	Driving disc High-Speed with rubber element
752.070	Driving disc 380 rpm
752.070A	Driving disc 380 rpm with protection ring
694.326	Pad High-Speed (Natural fibre)
694.321.5	Pad white, Ø 43,2 cm, 5 pieces
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.328	Bonnet-Pad (carpet cleaning)
694.327	Micro fibre pad, Ø 43,2 cm
742.078	Additional weight, 8 kg, incl. screws
752.900	Spraymaster, 1 liter
719.000	Solution tank, 14 liters
742.070A	Driving disc high speed with yellow center lock



Main Switch



Duo Speed: additional weights



Pad



Driving disc High-Speed duo



Control with switch



Spray cleaning with Duo Speed Spray

Duo Speed Spray

Identical machine as the Duo Speed delivered with an additional spray pump.

Art. 790.010



Technical data:	
Total Power	1200-1500 W /
	230 V
Brush speed	190/380 rpm
Working width	44 cm
Working height	33 cm
Cable length	12,5 m
Weight incl. brush	39 kg
Vibration strength handle	$< 2.5 \text{ m/s}^2$
Torque	65/40 Nm
Protection class	I/IPX4
Noise level	65 dBA

Special accessories:

742.059	Scrubbing brush PPN 0,6, Ø 43 cm
742.073	Exposed aggregate pavement brush
742.074	Shampooing brush PPN 0,3
742.076	Silicium Carbid brush
742.072	Polishing brush (Mexican Fiber)
790.070A	Driving disc High-Speed with rubber element
742.070	Driving disc 190 rpm
752.070	Driving disc 380 rpm
752.070A	Driving disc 380 rpm with protection ring
694.326	Pad High-Speed (Natural fibre)
694.321.5	Pad white, Ø 43,2 cm, 5 pieces
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.328	Bonnet-Pad (carpet cleaning)
694.327	Micro fibre pad, Ø 43,2 cm
742.078	Additional weight, 8 kg, incl. screws
719.000	Solution tank, 14 liters
742.070A	Driving disc high speed with yellow center lock

For Polishing

cleanfix © Cleanfix Swiss Made Quality.

PowerDisc HS

Caring and polishing with PowerDisc HS – HS stands for high speed. At 410 RPM, the machine puts the sparkle back in many places – not just the laminated/wood floor, but the mood of the janitor too. The Power Disc HS is ideally suited to spray cleaning too. This method is advisable for stains and worn care dressings.

Art. 726.010







Technical data:	
Total power max.	1200 W / 230 V
Brush speed	410 rpm
Working width	44 cm
Working height	37 cm
Cable length	12,5 m
Weight incl. driving disc	30 kg
Protection class	I/IPXO
Torque	29 Nm
Vibration strength handle	$<2,5m/s^2$
Noise level	55 dBA

Special accessories:

752.070	Driving disc
752.070A	Driving disc 380 rpm with protection ring
790.070A	Driving disc High-Speed with rubber element
694.326	Pad High-Speed (Natural fibre)
694.321.5	Pad white, Ø 43,2 cm, 5 pieces
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
742.072	Polishing brush (Mexican Fiber)
752.900	Spraymaster, 1 liter
742.078	Additional weight, 8 kg, incl. screws
741.650	Vacuum ring
780.920	Vacuum unit AS 05
025.430	Dustbag (1 packet with 5 pcs.)
025.435	Textile dustbag



Sprüheinheit



Polierbürste Mexican Fibre



Treibteller High Speed

R 44-450 High-Speed

High speed machine, effective, efficient, quiet and with no vibrations. For the maintenance cleaning with cleaning emulsion and super pad for high-gloss polishing. The balance is excellent and the solid aluminium construction provides durability and extended lifetime.

Art. 751.000



Picture with spraymaster (special accessories)

Technical data: 1500 W / 230 V Total Power Brush speed 450 rpm Working width 44 cm Working height 33 cm Cable length 12,5 m Weight 39 kg Vibration strength handle $< 2.5 \text{ m/s}^2$ 65/40 Nm Torque Protection class I/IPX0

Noise level

62 dBA

Special accessories:

opeciai acc	63301163.
752.070	Driving disc High-Speed
752.070A	Driving disc 380 1/min with protection ring
790.070A	Driving disc High-Speed with rubber element
694.326	Pad High-Speed (Natural fibre)
694.321.5	Pad white, Ø 43,2 cm, 5 pieces
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
742.072	Polishing brush (Mexican Fiber)
752.900	Spraymaster, 1 liter
742.078	Additional weight, 8 kg, incl. screws
741.650	Vacuum ring
780.920	Vacuum unit AS 05
025.430	Dustbag (1 packet with 5 pcs.)
025.435	Textile dustbag



Pad



Treibteller High Speed, Duo

Powerful and multifunctional

PowerDisc HD

The PowerDisc HD is designed fort he toughest demands. HD stands for heavy duty. It makes no difference if the job is sanding laminated/wood floors, wet scrubbing of hardfloors or crystalliszing marble: you get a first class result with the removable 9.8 kg standard weight. In addition, another two weights of 4 kg each can be fitted. Power pure and simple. To transport, simply remove the standard weight.

Art. 726.020









Technical data:	
Total power	1200 W / 230 V
Brush speed	160 rpm
Working width	44 cm
Working height	37 cm
Cable length	12,5 m
Weight	43 kg (51 kg with additional weights)
Vibration strength handle	$<2,5 \text{ m/s}^2$
Protection class	I/IPX4
Torque	68 Nm
Noise level	55 dBA

Complete i	ncl.:
726.410	Weight incl. holder complete 9,8 kg
726.067	Inside weight 2 kg (2 pieces needed)
Special ac	cessories:
726.415	Set of 2 additional weights (8 kg)
742.059	Scrubbing brush PPN 0,6
742.073	Exposed aggregate pavement brush
742.074	Shampooing brush PPN 0,3 *
742.076	Silicium Carbid brush
742.070	Pad holder
742.070	Driving disc 190 rpm
742.070A	Driving disc high speed with yellow center lock
694.322.5	Pad red, Ø 43,2 cm, 5 pieces
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
694.327	Micro fibre pad, Ø 43,2 cm
694.328	Bonnet-Pad (carpet cleaning) *
719.000	Solution tank, 14 liters
741.650	Vacuum ring, Ø 44,0 cm
639.731	Sanding paper corn 60
639.732	Sanding paper corn 80
639.733	Sanding paper corn 100
639.734	Sanding paper corn 120
639.737	Sanding net corn 60

^{*} only for use without weights

Sanding net corn 80

Sanding net corn 100

Sanding net corn 150



Easy fitting of the sanding plate



Set of 2 additional weights (8 kg)



Easy mounting and demounting of the solution tank



To transport, simply

R 44-120

This special single disc machine with a six pole magnetic motor and a strengthened torsion, does a brilliant job in renovate wooden floors and is perfect to crystallize natural stone floors.

639.738

639.739

639.741

Art. 739.000



Technical data:	
Total power	1600 W / 230
Brush speed	120 rpm
Working width	44 cm
Working height	33 cm
Cable length	12,5 m
Weight	39 kg
Protection class	I/IPX4
Torque	102 Nm
Noise level	58 dBA

Picture with special accessoires

Sp	Special accessories:		
74	2.059	Scrubbing brush PPN 0,6, Ø 43 cm	
74	2.073	Exposed aggregate pavement brush	

742.073	Exposed aggregate pavement brush
742.068	Grinding disc for wood
742.069	Pad holder for grinding
742.080	Quattro grinding plate
742.070	Pad holder
694.323.5	Pad blue, Ø 43,2 cm, 5 pieces
694.324.5	Pad brown, Ø 43,2 cm, 5 pieces
694.325.5	Pad black, Ø 43,2 cm, 5 pieces
Z481Z	Steel wool ring for crystallisation
3611478	Additional weight, 5,7 kg, incl. screws
719.000	Solution tank, 14 liters
639.731	Sanding paper corn 60
639.732	Sanding paper corn 80
639.733	Sanding paper corn 100
639.734	Sanding paper corn 120
639.737	Sanding net corn 60
639.738	Sanding net corn 80
639.739	Sanding net corn 100
639.741	Sanding net corn 150
742.088	Sanding net corn 100, Ø 15 cm, to Quadro
742.088 A	Sanding net corn 40, Ø 15 cm, to Quadro



Driving disc quadro



connecting piece



Sanding disc

Ultra High-Speed



R 53-1100/ Ultra High-Speed Superfast – forward and backwards – the Cleanfix ultra-high speed machine surfs over the floor. Optimum pressure for quality floors, ideal for polishing and spray-cleaning. With integrated pad holder and dust ring.

Art. 782.000



Technical data:	
Total power	1320 W / 230 V
Brush speed	1100 rpm
Working width	53 cm
Working height	15/35 cm
Cable length	20 m
Weight incl. driving disc	46 kg
Protection class	I/IPXO
Torque	12 Nm
Noise level	67 dBA

Special accessories:		
752.900	Spraymaster, 1 liters	
695.086	High speed pad, Ø 50,8 cm (natural fibre)	
782.650	Vacuum ring, Ø 53,0 cm	
780.920	Vacuum unit AS 05	
025.430	Paper dustbag(1 packet with 5 pieces)	
025 435	Taytila duethan	



Guide wheel with brushpressure adjusting screw



Spraymaster 1 liter



Machine with integrated driving disc

AS 05

Vacuum unit for the vacuuming of residue from polishing and sanding.

Art. 780.920



Technical data:		
Total power	1100 W / 230 V	
Vacuum	250 mbar	
Dustbag capacity	4,5 liters	

suitable to:

R44-120

R53-1100

R44-450

PowerDisc HS

Complete incl.:

	Paper dustbag (1 piece)	
Special a	ccessories:	
782.650	Vacuum ring, Ø 53 cm, suitable to R 53-1100	
741.650	Vacuum ring, Ø 44 cm	
747.650	Vacuum skirt to R 44-120	
025.430	Paper dustbag (1 packet with 5 pieces)	
025.435	Textil dustbag	





Simply sweeping

HS 770

Compact manual sweeper for mediumsized surfaces in the home and in the business for inside and outdoor areas. Unlimited use on all floors. Side and main brooms are adjustable. Robust construction for long life.

Art. 077.000



Technical data:	
Dirt container	32 liters
Working width	77 cm
Roller brush	adjustable
Side brush	adjustable
Weight	18 kg
Measurements I/w/h	132/80/88 cm (with handle)

Complete including		
077.740	Side brush	
077.270	Main sweeping roll	

KS 650 IBC

Whether inside or out, the hand-guided vacuum sweeper KS650 IBC removes dirt and dust from all hard floors. It can also clean carpets with the carpet set. The machine is very manoeuvrable, easy to push thanks to its traction drive and highly efficient with a cleaning speed of $5 \, \text{km/h}$. The overhead projection principle ensures that the dirt container is filled optimally. Because the KS650 IBC is battery-operated and fitted with an onboard charger it gives off no harmful emissions.

Complete including



Easy removal of dirt container

Art. 065.000





750 W / 12 V 35 litre 25 kg
25 kg
Continuously variable
122 kg
ı
3525 m ² /h
2525 m ² /h
71 cm
5,0 km/h
110 / 71 / 72 cm

065.193	Side brush for indoor use
065.199	Onboard charger
065.142	Discharge signal indicator
065.171	Main sweeping roll
Optional A	Accessories
066.091	Gel battery 12 V / 76 Ah (C5)
065.190	Side brush for outdoor use
065.010	Carpet set
	Deflector wheel
	Fibrous sieve
	Fender guide rail
	Bail complete
	Microswitch with cable
	Various, screw nuts and cable binder
	065.199 065.142 065.171 Optional A 066.091 065.190



Battery and onboard charger display including excessive discharge protection.



Lever for raising / lowering side brush.

Efficient sweeping

KS 1100 B

This compact and robust ride-on sweeper is made for medium and large areas, especially indoor. The KS 1100 represents simplicity and robustness in its most sophisticated form. The KS 1100 is small enough to fit into an elevator, and is maneuverable enough to reach the tight corners. The large filter, a large flap and the climbing rate over 20% are other strong points of the KS 1100.

080.499

Main brush

Art. 080.000

Technical data:	
Working width with	
side brushes	110 cm
Working width	
without side brushes	70 cm
Ø side brushes	44 cm
Sweeping principle	Overthrow
Hopper	60 Liter
Filter material	Polyester
Filter area	3,9 m ²
Filter cleaning	electrical
	filter shaker
Turning circle	< 230 cm
Motor power surce battery	24V 180Ah
Dimensions (L., W., II)	
Dimensions (L x W x H)	1550/1000/
Dimensions (L x vv x H)	1550 / 1000 / 1220 mm
Weight without batteries	
	1220 mm
Weight without batteries	1220 mm 240kg
Weight without batteries Speed	1220 mm 240kg 0 – 7,2 km/h
Weight without batteries Speed Running hours	1220 mm 240kg 0 – 7,2 km/h 4.5 h
Weight without batteries Speed Running hours Productivity rate theoretical	$\begin{array}{c} 1220 \text{ mm} \\ 240 \text{kg} \\ 0 - 7.2 \text{ km/h} \\ 4.5 \text{ h} \\ \text{ca. } 8000 \text{ m}^2/\text{h} \end{array}$

	Complete	incl.:
	080.501	Main brush standard, Ø 70 cm
	080.059	Side brush standard, Ø 44 cm (2 pieces needed)
	080.222	Filter kompl.
	Special ac	ccessories:
,	701.091	4 Gel battery Dryfit à 6 V / 180 Ah (244 x 190 x 275 mm)
	710.655	Gel battery charger 24 V / 25 A
	080.130	Reflector Kit
	080.136	Light bulb 24 V
		•
er	Outside u	se only:
	080.060	Side brush with add. steal bristels
1	080.504	Main brush
0/		
	Inside use	e only:
	080.061	Side brush soft
/h	080.498	Main brush soft
n²/h	In- and ou	rtside use
	080.059	Side brush standard





Clear and convenient operating console



Large hoppe



Easy to change the brushes



The filters can be changed without tools.



Inside



Adjustable ergonomic seat



Sidebrush



Mainbrush





Efficient sweeping

KS 1100 B HD with high emptying Same machine like KS1100 B with high emptying.

Art. 080.010

Technical data:	
Working width with	
side brushes	110 cm
Working width	
without side brushes	70 cm
Ø side brushes	44 cm
Sweeping principle	Overthrow
Hopper	60 Liter
Filter material	Polyester
Filter area	3,9 m ²
Filter cleaning	electrical
	filter shaker
Turning circle	< 230 cm
Motor power surce battery	24V 180Ah
Dimensions (L x W x H)	1550/1000/
	1220 mm
Weight without batteries	240 kg
Speed	0 - 7,2 km/h
Running hours	4,5 h
Productivity rate theoretical	ca. $8000 \; m^2/h$
Max. climbing rate (%)	20
Side brushes	2

Complete incl.: 080.501 Main brush standard, Ø 70 cm 080.059 Side brush standard, Ø 44 cm (2 pieces needed) 080.222

Special accessories:		
701.091	4 Gel battery Dryfit à 6 V / 180 Ah (244 x 190 x 275 mm)	
710.655	Gel battery charger 24 V / 25 A	
080.130	Reflector Kit	

Light bulb 24 V

080.136

Outside use only:		
080.060	Side brush with add. steal bristels	
080.504	Main brush	

Inside use only:		
080.061	Side brush soft	
080.498	Main brush soft	

In- and outside use

080.059	Side brush standard
080.499	Main brush

Accessories for street leagel

080.925	Kit for street legal, without assembling:	
	Warning light yellow	
	Breakdown triangle with holder	
	Licence tag holder	
	Tag speed limit < 10 km/h	
	Reflector	



Clear and convenient operating console





Easy to change the



The filters can be changed without tools.





Adjustable ergonomic seat



Sidebrush



Mainbrush







The cleaniness company



